



Department of Energy
Richland Operations Office
P.O. Box 550
Richland, Washington 99352

NOV 16 2010

11-AMCP-0023

Mr. D. A. Faulk, Program Manager
Office of Environmental Cleanup
Hanford Project Office
U.S. Environmental Protection Agency
309 Bradley Boulevard, Suite 115
Richland, Washington 99352

Dear Mr. Faulk:

**PLAN FOR UPDATE OF FEASIBILITY STUDY FOR THE 200-CW-5 COOLING
WATER OPERABLE UNIT, DOE/RL-2004-24, DRAFT C, REISSUE**

This letter is in response to the U.S. Environmental Protection Agency's (EPA), October 19, 2010, comments regarding the Feasibility Study for the 200-CW-5 Cooling Water Operable Unit, DOE/RL-2004-24, Draft C, Reissue. Resolution of the comments has been discussed with your staff. Based on those discussions and continuing to work with your staff, the document will be updated to address the EPA's comments along with the changes mentioned in our letter 10-AMCP-0200 dated August 11, 2010. At this time it is anticipated that the final Revision 0 of this document will be submitted to EPA for approval in January 2011.

If you have any questions, please contact me, or your staff may contact Briant Charboneau, of my staff, on (509) 373-6137.

Sincerely,

A handwritten signature in black ink, appearing to read "Richard A. Holten", is positioned above the typed name.

Richard A. Holten, Acting Assistant Manager
for the Central Plateau

AMCP:GLS

cc: See Page 2

Mr. D. A. Faulk
11-AMCP-0023

-2-

NOV 16 2010

cc: D. G. Black, CHPRC
G. Bohnnee, NPT
L. Buck, Wanapum
P. A. Burke, CHPRC
C. Cameron, EPA
K. M. Davis, FFS
S. Harris, CTUIR
J. A. Hedges, Ecology
M. J. Hickey, FFS
R. Jim, YN
S. L. Leckband, HAB
N. M. Menard, Ecology
K. Niles, ODOE
R. E. Piippo, MSA
D. Rowland, YN
J. G. Vance, MSA
Administrative Record (200-CW-5 OU)
Environmental Portal